UNITED NATIONS



POSTAL ADDRESS - ADRESSE POSTALE: UNITED NATIONS, N.Y. 10017 CABLE ADDRESS - ADRESSE TELEGRAPHIQUE: UNATIONS NEWYORK

REFERENCE: S/AC.49/2019/OC.XXX

The Chair of the Security Council Committee established pursuant to resolution 1718 (2006) presents his compliments to the Permanent Mission of Italy to the United Nations and has the honour to refer to its note verbale dated 29 October 2018, requesting the Committee, in accordance with paragraph 25 of resolution 2397 (2017), for an exemption to allow for the shipment of agricultural machinery and equipment to the Democratic People's Republic of Korea (DPRK) by AGROTEC SPA, which has been contracted by the European Commission to export the above-mentioned machinery and equipment to the DPRK within the project entitled "Food: Improving Food Security in the DPRK – Supply Component – Identification Number EuropeAid 139017", in accordance with Implementation Assistance Notice No. 7.

The Chair has the further honour to inform Italy that, following due consideration, the Committee has decided to approve the requested exemption in the abovementioned note verbale, in accordance with paragraph 25 of Security Council resolution 2397 (2017), to transfer the items outlined in Italy's note verbale within the next six months, which is enclosed in this note verbale as an attachment. The items are requested to be shipped once together or in a consolidated manner, with a view to increasing efficiency of shipping and custom clearance.

The Committee reiterates that the sanctions measures imposed by the Security Council through its resolutions with respect to the DPRK are not intended to bear a negative impact on the people of the DPRK, and the note verbale it issued to all Member States, as well as its press release SC/13113 of 8 December 2017, offer clarifications as regards humanitarian aid to the DPRK. The note verbale further recalls that each Member State must fully implement relevant Security Council measures, while keeping in mind the need to clarify to public and private sector entities in their jurisdiction that, while properly implementing United Nations sanctions, humanitarian activities should not be unduly restricted.

The Committee further supports and approves Italy engaging in necessary business and financial transactions only for the purchase of goods and services exempted by the Committee and found in the attachment without prejudice to the relevant commercial decisions.

Permanent Mission of Italy to the United Nations New York At the same time, the Committee requests relevant organizations delivering humanitarian assistance to the DPRK to adhere to the exemption time limit approved by the Committee and fully respect and abide by relevant national laws, regulations, and licensing requirements governing financial and commercial transactions, and shipping and custom clearance conducted in the jurisdictions of affected Member States.

The Chair has the further honour to inform Italy that this note verbale and its annex will be published on the 1718 Committee website for the public, including relevant national authorities involved in reviewing the exempted transfers to the DPRK, for a period of six months.

The Committee would like to thank Italy for its diligence.

The Chair of the Security Council Committee established pursuant to resolution 1718 (2006) avails himself of this opportunity to renew to the Permanent Mission of Italy to the United Nations the assurances of his highest consideration.

(Signed)

30 July 2019

Attachment:

- List of Goods and Services for Transfer to the DPRK

| Α | В | С |
|----------------|------|--|
| ITEM NUMBER | Q.ty | SPECIFICATIONS OFFERED (INCL BRAND/MODEL) |
| | | EQUIPMENT |
| 1.1 | 16 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) |
| 1.2 | 16 | Tractor Trailer - Changzhou Doongfeng Agricultural Machinery Group LTD. (Model No: DF 7C-6) |
| 1.3 | 16 | Chisel Plough - Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF AETH-7) |
| 1.4 | 16 | Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor (80-90 Hp tractors) - Bicchi (Model: BP 12"X5) |
| 1.5 | 20 | Paddy Rice Thresher - Manufacturer: YAJIANG (Model: 5TG-180) |
| 1.6 | 10 | Multi-grain thresher - Shandong Yingsheng Machinery LTD. (Model: 5TG-180) |
| 1.7 | 10 | Small 2WD Tractor – Weitai (Model: TT250) |
| 1.8 | 10 | Two-Wheeled Trailer - Manufacturer: Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF 7C-3) |
| 1.9 | 2 | Workshop Furnace - Weifang Jiangnan Mechanical And Electrical Equipment Co., Ltd. (Model: KGPS-100KW 0.1T SCR furnace) |
| | | Tools |
| 1.10 | | Workshop tools |
| 1.10.1 | 2 | Engine oil pressure gauge set:0-35bar (0-510 psi) and adapting screw set for different sizes of oil pressure screws - Brand: Sipuruide Model: 3 gauges +12 screws. |
| 1.10.2 | 2 | Internal (bore) caliper set. Range 0-150 mm - Brand: LINKS |
| 1.10.3 | 2 | External caliper: 50-200mm - Brand: LINKS |

| 1.10.4 | 2 | Manual Vernier caliper: 0-300mm, providing inside, outside, depth and step readings - Brand: LINKS |
|---------|----|--|
| 1.10.5 | 2 | Bore Gauge, dial type. Approximate measuring range 50-150 mm with set of anvils. Maximum measuring depth approximately 150 mm, Dial scale reading at least 0.01 mm graduations. (Example Mitutyo 511-723) - Brand: Mitutyo 511-723 |
| 1.10.6 | 2 | Manual micrometer complete set: 0-100mm - Brand: Shengdeli Model: 0-25mm , 25-50 mm, 50-75mm, 75-100mm |
| 1.10.7 | 2 | Feeler gauge set, metric - Brand: Silverline |
| 1.10.8 | 2 | Ratchet, socket set 3/4" drive. Made from chrome vanadium steel and with metal storage box. 10 pcs 12pt sockets: 30, 32, 34, 36, 38, 41, 46, 50, 55, 60mm 5 pcs accessories: quick release ratchet, sliding T-bar, extension bars 4" 8", universal joint Brand: Shengdeli |
| | | g |
| 1.10.9 | 2 | Ratchet, Socket Set 1/2" drive, metric, made from chrome vanadium steel. With metal storage box: 17 pcs 6pt |
| | | sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34mm, |
| | | 5 pcs 6pt deep sockets: 10, 13, 17, 19, 22mm, |
| | | 5 pcs accessories: quick release ratchet, extension bar 10", universal joint, locking extension bar 5", 3-way adapter 3/8"F x 1/2"M - Brand : Shengdeli |
| 1.10.10 | 2 | Ring Spanner Set, made from chrome vanadium steel. Double-ended. With tool box: 10pcs: 6 x 7, 8 x 10, 10 x 12, 11 x 13, 12 x 14, 14 x 17, 17 x 19, 19 x 21, 21 x 23, 24 x 27, 30 x 32mm - Brand: Donggong |
| 1.10.11 | 2 | Thread Cutting Tap and Die set with tool box: Thread cutting set in metal box, what should include (Thread Tap: M3 ~ M20, 3 pcs each size, Die: M3 ~ M20, 3 pcs each size, 12 accessories) - Brand: Donggong |
| 1.10.12 | 2 | Angle grinder, 125 mm dia disc. 220V, single phase 1500 watt power. Fitted with side handle and rotating spark guard. Supplied with 50 metal grinding discs (minimum thickness 5 mm) and 50 metal cutting discs (minimum thickness 2.5 mm) - Brand: Bosch Mod 15-125 Model: CIEP Professional WU800S |
| 1.10.13 | 2 | Multimeter test unit: DC/AC, 10A, 600 ~ 700V, resistance range - Brand: YOULIDE Model: UT209A |
| 1.10.14 | 2 | Thermometer, infrared: Two-way digital thermometer to measure temperatures from a distance - Brand: XIMA Model: AR882 |
| 1.11 | | Operator tool kits |
| 1.11.1 | 40 | Set of double-ended ring spanners comprising: 8-10, 12-14, 13-15, 15-17,17-19,19-22, 22-24, 24-27, 32-36 mm - Brand: Donggong |
| 1.11.2 | 40 | Adjustable (slip joint) pliers, 30cm - Brand: Shengdeli |
| 1.11.3 | 40 | Combination pliers, 20 cm - Brand: Shengdeli |
| 1.11.4 | 40 | Set of flat head screw drivers - Brand: Shengdeli |
| 1.11.5 | 40 | Set of cross head screw drivers - Brand: Shengdeli |

| 1.11.6 | 40 | set of hexagon keys - Brand: Shengdeli |
|---|---|--|
| 1.11.7 | 40 | 0.5 kg and 1 kg hammers - Brand: Shengdeli |
| 1.12 | | Mechanics Tool kits |
| 1.12.1 | 20 | Set of double-ended ring spanners comprising: 8-10, 12-14, 13-15, 15-17,17-19,19-22, 22-24, 24-27, 32-36 mm - Brand: Donggong |
| 1.12.2 | 20 | Pliers longnose, 20 cm - Brand: Shengdeli |
| 1.12.3 | 20 | Side cutting pliers, adjustable (slip joint) pliers 30 cm |
| 1.12.4 | 20 | Adjustable wrenches 150 mm and 250 mm length - Brand: Taian |
| 1.12.5 | 20 | set of flat head screw drivers, set of cross head screw drivers - Brand Shengdeli Model: S8*200, S6*150, 5*75, 75*4, 6*38 |
| 1.12.6 | 20 | Set of snap ring pliers - Brand: Shengdeli |
| 1.12.7 | 20 | Set of circlip pliers - Brand: Shengdeli |
| 1.12.8 | 20 | set of hexagon keys - Brand: Yingzhiyan |
| 1.12.9 | 20 | 0.5 kg and 1 kg hammers - Brand: Shengdeli |
| 1.12.10 | 20 | Centre punch - Brand: Shengdeli |
| 1.12.11 | 20 | Steel rule 300mm - Brand: Shengdeli Model SD 608200 |
| l l | | |
| | | |
| | | SPARE PARTS AND CONSUMABLES (for 2 Years) |
| 1.1 | | SPARE PARTS AND CONSUMABLES (for 2 Years) Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) |
| 1.1 | 48 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: |
| | 48 160 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) |
| 1.1.1 | | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) |
| 1.1.1 1.1.2 | 160 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter |
| 1.1.1 1.1.2 1.1.3 | 160 160 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator |
| 1.1.1 1.1.2 1.1.3 1.1.4 | 160 160 160 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter |
| 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 | 160 160 160 54 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter Hydraulic system filters |
| 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 1.1.6 | 160 160 160 54 16 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter Hydraulic system filters Complete Piston set for engine (incl. rings and gudgeon pin) |
| 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 1.1.6 1.1.7 | 160 160 160 54 16 32 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter Hydraulic system filters Complete Piston set for engine (incl. rings and gudgeon pin) Engine and auxiliary drives belt sets |
| 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 1.1.6 1.1.7 | 160 160 160 54 16 32 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter Hydraulic system filters Complete Piston set for engine (incl. rings and gudgeon pin) Engine and auxiliary drives belt sets Fuel injection pump assy |
| 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 1.1.6 1.1.7 1.1.8 1.1.9 | 160 160 160 54 16 32 16 | Tractor 55 kW (74.92 hp) 2WD - Chang Zhou Dongfeng Agricultural Machinery Group Co.,Ltd. (Model: DF750) Air filter (Oil type) Fuel filter Fuel sediment filter and water agglomerator Oil filter Hydraulic system filters Complete Piston set for engine (incl. rings and gudgeon pin) Engine and auxiliary drives belt sets Fuel injection pump assy Brake discs |

| 1.1.13 | 32 | Replacement light bulb | |
|--------|----|--|--|
| 1.1.14 | 32 | Engine gasket set | |
| 1.1.15 | 16 | Hydraulic hoses | |
| 1.1.16 | 16 | Hydraulic hoses | |
| 1.1.17 | 32 | Complete set of inner tubes (front and rear tyres) | |
| 1.1.18 | 16 | Inner tube repair kit | |
| 1.1.19 | 32 | Spare tyres (front and rear tyres) | |
| 1.1.20 | 16 | Spare top link | |
| 1.1.21 | 16 | Lower links (pair) | |
| 1.1.22 | 16 | Swinging draw bar | |
| 1.1.23 | 16 | Battery (Maintenance free) | |
| 1.1.24 | 16 | Upper water hose | |
| 1.1.25 | 16 | Lower water hose | |
| 1.1.26 | 16 | Mail release lever | |
| 1.1.27 | 16 | Sub clutch plates | |
| 1.1.28 | 16 | release bearing | |
| 1.1.29 | 16 | Shaft, 1-2 speed gear shifting fork | |
| 1.1.30 | 16 | Shaft, 3-4 speed gear shifting fork | |
| 1.1.31 | 16 | Shaft, high-low speed gear shifting fork | |
| 1.1.32 | 16 | H-L shift fork | |
| 1.1.33 | 16 | Shifting fork | |
| 1.1.34 | 16 | 3-4shifting fork | |
| 1.1.35 | 16 | 3-4shifting fork head | |
| 1.1.36 | 16 | Bush | |
| 1.1.37 | 16 | Sub middle gear shaft | |
| 1.1.38 | 16 | Input shaft | |
| 1.1.39 | 16 | Hand throttle assy | |
| 1.1.40 | 16 | Seal set | |
| 1.1.41 | 16 | Stop control line | |
| 1.1.42 | 16 | Half shaft gear shim I | |
| 1.1.43 | 16 | Planet gear shim | |
| 1.1.44 | 16 | Half shaft gear shim II | |

| 1.1.45 | 16 | Power switch |
|--------|-----|-----------------------------------|
| 1.1.46 | 16 | Brake switch |
| 1.1.47 | 16 | Combination switch |
| 1.1.48 | 16 | Trailer socket |
| 1.1.49 | 16 | Horn |
| 1.1.50 | 16 | Pre-heating starting switch |
| 1.1.51 | 16 | Gear pump |
| 1.1.52 | 16 | Inlet valve |
| 1.1.53 | 16 | Exhaust valve |
| 1.1.54 | 16 | Cylinder liner |
| 1.1.55 | 16 | Sealing ring,cylinder liner |
| 1.1.56 | 16 | Shell, connecting rod |
| 1.1.57 | 16 | Connecting rod assy |
| 1.1.58 | 80 | Bttom shell,main bearing |
| 1.1.59 | 80 | Top shell,main bering |
| 1.1.60 | 80 | Thrust shell(top),main bearing |
| 1.1.61 | 80 | Thrust shell(bottom),main bearing |
| 1.1.62 | 122 | Oil sealing |
| 1.1.63 | 122 | Oil sealing |
| 1.1.64 | 14 | Fuel injestor assy |
| 1.1.65 | 16 | Water pump assy |
| 1.1.66 | 16 | Oil pump |
| 1.1.67 | 22 | Cooling fan saay |
| 1.1.68 | 14 | Starter |
| 1.1.69 | 16 | Alternator |
| 1.1.70 | 60 | Plunger assy |
| 1.1.71 | 60 | Oil deilvery valve |
| 1.1.72 | 10 | Left brake disc |
| 1.1.73 | 10 | Right brake disc |
| 1.1.74 | 16 | brake piece |
| 1.1.75 | 64 | baffle |
| 1.1.76 | 10 | handle brake system |

| 1.1.77 | 64 | pressure disc return spring |
|--------|------|--|
| 1.1.77 | 16 | pressure disc |
| 1.1.78 | 60 | Rear Tyres |
| 1.1.79 | 9360 | Lubricating oil for tractors |
| | Kg | |
| 1.1.80 | 1300 | Anti-freeze for tractors |
| 1.0 | Kg | Treater Treiter Observation Description Assistant Machiners Occur LTD (Madel No. DE 70.6) |
| 1.2 | | Tractor Trailer - Changzhou Doongfeng Agricultural Machinery Group LTD. (Model No: DF 7C-6) |
| 1.2.1 | 32 | Inner tubes for front and rear tyres |
| 1.2.2 | 32 | Axle bearing sets (all wheels) |
| 1.2.3 | 32 | Air hose for replacing brake lines (15m per set) |
| 1.2.4 | 32 | leaf springs front and rear complete set |
| 1.2.5 | 32 | Spare Tyres: sets front and rear |
| 1.2.6 | 32 | Brake shoe sets |
| 1.2.7 | 32 | Rear light |
| 1.2.8 | 16 | Air tap |
| 1.2.9 | 16 | Brake line |
| 1.2.10 | 16 | Air connector |
| 1.2.11 | 16 | Hand brake handle |
| 1.3 | | Chisel Plough - Changzhou Dongfeng Agricultural Machinery Group LTD., (Model No: DF AETH-7) |
| | | |
| 1.3.1 | 128 | Chisel points x 8 sets |
| 1.3.2 | 80 | Chisel point fixing pins or bolts |
| 1.3.3 | 48 | Wide chisel points with wings |
| 1.3.4 | 16 | Bearing and seal set for rear crumbler roll or depth control wheels. |
| 1.4 | | Mounted mouldboard plough, 5 furrows For working with Item 1.1 (the manufacturer suggest for a tractor |
| | | (80-90 Hp tractors) - Bicchi (Model: BP 12"X5) |
| 1.4.1 | 64 | Complete set of Mouldboards |
| 1.4.2 | 64 | Complete set of landsides |
| 1.4.3 | 800 | Shear bolts |
| 1.4.4 | 320 | Bar points x 20 (CHISEL) |
| 1.4.5 | 64 | Transport/depth wheel bearing and seal set |

| 1.4.6 | 64 | Top and bottom link pins |
|--------|------|--|
| 1.4.7 | 64 | Complete set of trash boards |
| 1.4.8 | 32 | Transport/depth wheel assembly |
| 1.5 | | Paddy Rice Thresher - Manufacturer: YAJIANG (Model: 5TG-180) |
| 1.5.1 | 60 | Complete set of drive belts set |
| 1.5.2 | 60 | Upper & lower gripping belts |
| 1.5.3 | 20 | Belt pulley set for feeding1 |
| 1.5.4 | 40 | Belt guidance roller set |
| 1.5.5 | 40 | Drum bearings (complete set) |
| 1.5.6 | 40 | Drum repair set |
| 1.5.7 | 40 | Screens set |
| 1.5.8 | 40 | Complete set of grain lift belt and chutes |
| 1.5.9 | 40 | Comprehensive engine maintenance and repair sets x 2 |
| 1.5.10 | 200 | Complete sets of fuel filters |
| 1.5.11 | 100 | Air filter set |
| 1.5.12 | 100 | Oil filter set |
| 1.5.13 | 20 | Complete one set of bearing |
| 1.5.14 | 100 | Main clutch (throw-out)bearing |
| 1.5.15 | 200 | Bow teeth for upper and lower drum |
| 1.5.16 | 20 | Bevel gear for grain lift in main gear box 1 (z = 9) |
| 1.5.17 | 20 | Lubricating oil pump |
| 1.5.18 | 300 | Lubricating oil |
| 1.5.19 | 60 | Oversize engine crankshaft and main bearing sets |
| 1.5.20 | 200 | Grease cartridge (to suit supplied grease gun) |
| 1.5.21 | 40 | Tyres and inner tubes complete sets |
| 1.5.22 | 300 | Antifreeze (for water cooled engines) |
| 1.5.23 | 20 | Battery, dry charged |
| 1.5.24 | 30 | Upper steel notched plate |
| 1.5.25 | 36 | Nether steel notched piate |
| 1.5.26 | 18 | Front steel notched plate |
| 1.5.27 | 2000 | Steel paddy tooth with cap |
| 1.5.28 | 30 | Hearing housing 309 |

| 1.5.29 | 30 | Hearing housing 307 |
|--------|----|---|
| 1.5.30 | 40 | 80 section chain |
| 1.5.31 | 40 | 34 section chain |
| 1.5.32 | 60 | Big blower chip |
| 1.5.33 | 20 | Small Blower chip |
| 1.5.34 | 20 | Clutch assembly |
| 1.5.35 | 40 | Clutch piate |
| 1.5.36 | 10 | Umbrella type gear |
| 1.5.37 | 20 | Hearing 309 |
| 1.5.38 | 20 | Hearing 1205 |
| 1.5.39 | 30 | Hearing 205 |
| 1.5.40 | 10 | Hearing 307 |
| 1.5.41 | 20 | Release hearing |
| 1.5.42 | 10 | Round hole filter plate for mail roller |
| 1.5.43 | 10 | Round hole filter plate for front roller |
| 1.5.44 | 10 | Vibrant filter piate |
| 1.5.45 | 10 | Main wheel |
| 1.5.46 | 10 | Front wheel |
| 1.5.47 | 10 | Rubber tyre and inner tube |
| 1.5.48 | 10 | Roller for supporting filter |
| 1.5.49 | 10 | Wheel for gear box belt |
| 1.5.50 | 20 | Wheel for pressing grass |
| | | for diesel engine: |
| 1.5.51 | 20 | Injector pump |
| 1.5.52 | 20 | Injector sets |
| 1.5.53 | 10 | Injector plungers set |
| 1.5.54 | 10 | Engine oil pump with gasket |
| 1.6 | | Multi-grain thresher - Shandong Yingsheng Machinery LTD. (Model: 5TG-180) |
| 1.6.1 | 30 | Complete set of drive belts |
| 1.6.2 | 30 | Belt pulley set for the threshers different components |
| 1.6.3 | 20 | Rotor bearings (complete set) |
| 1.6.4 | 20 | Rotor repair set |

| 1.6.5 | 20 | Blower bearing set |
|--|--|--|
| 1.6.6 | 20 | Blower driver chain |
| 1.6.7 | 20 | Grain hoist belt and chutes (complete) |
| 1.6.8 | 20 | Screens set (including spares) for wheat, maize and soya. |
| 1.6.9 | 100 | Grease cartridge (to suit supplied grease gun) |
| 1.6.10 | 10 | Comprehensive engine maintenance and repair sets |
| 1.6.11 | 10 | Oversized bearing set for crankshaft and main bearings |
| 1.6.12 | 10 | Battery, dry charged |
| 1.6.13 | 100 | Complete sets of Fuel filters |
| 1.6.14 | 100 | Oil filter set |
| 1.6.15 | 10 | Injector pump |
| 1.6.16 | 20 | Injector sets |
| 1.6.17 | 20 | Injector plungers set |
| 1.6.18 | 100 | Lubricating oil |
| 1.6.19 | 10 | Engine oil pump with gasket |
| 1.6.20 | 150 | Anti-freeze (for water cooled engines) |
| | | |
| 1.6.21 | 10 | Spindle housing |
| 1.6.21 1.6.22 | 10 10 | Spindle housing Clutch plate |
| | | · |
| 1.6.22 1.6.23 1.6.24 | 10 | Clutch plate Fan base Universal joint cross (big) |
| 1.6.22 1.6.23 | 10 10 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 | 10 10 10 30 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 | 10 10 10 30 100 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 | 10 10 10 30 100 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 | 10 10 10 30 100 100 40 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 | 10 10 10 30 100 100 40 30 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 1.7.6 | 10 10 10 30 100 100 40 30 20 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) Oversize crankshaft and main bearings |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 1.7.6 1.7.7 | 10 10 10 30 100 100 40 30 20 20 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) Oversize crankshaft and main bearings Engine (and transmission) belt |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 1.7.6 1.7.7 | 10 10 10 30 100 100 40 30 20 20 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) Oversize crankshaft and main bearings Engine (and transmission) belt Fuel injection pump |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 1.7.6 1.7.7 1.7.8 1.7.9 | 10 10 10 30 100 100 40 30 20 20 10 20 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) Oversize crankshaft and main bearings Engine (and transmission) belt Fuel injection pump Injection nozzle |
| 1.6.22 1.6.23 1.6.24 1.7 1.7.1 1.7.2 1.7.3 1.7.4 1.7.5 1.7.6 1.7.7 | 10 10 10 30 100 100 40 30 20 20 | Clutch plate Fan base Universal joint cross (big) Small 2WD Tractor – Weitai (Model: TT250) Air filter set Fuel filter set Oil filter Hydraulic system filters Piston set (incl. ring and gudgeon pin) Oversize crankshaft and main bearings Engine (and transmission) belt Fuel injection pump |

| 1.7.12 | 30 | Spare key |
|--------|-----|--|
| 1.7.13 | 24 | Replacement light bulb sets |
| 1.7.14 | 20 | Engine gasket set |
| 1.7.15 | 8 | Hydraulic hose set |
| 1.7.16 | 20 | Complete set of inner tubes |
| 1.7.17 | 10 | Inner tube repair kit |
| 1.7.18 | 20 | Spare tyres (front and rear) |
| 1.7.19 | 10 | Battery (dry-charged) |
| 1.7.20 | 10 | High pressure hydraulic oil pump |
| 1.7.21 | 10 | Fuel pump with 7 m hose |
| 1.7.22 | 500 | Anti-freeze |
| 1.7.23 | 10 | Grease Pump with flexible hose and short tube (nipple adapter, round to square) |
| 1.7.24 | 10 | PTO shaft |
| 1.7.25 | 25 | Clutch plate |
| 1.7.26 | 12 | Clutch assembly |
| 1.7.27 | 10 | Break shoe |
| 1.7.28 | 20 | Break disk |
| 1.7.29 | 10 | Break drum |
| 1.7.30 | 6 | Break pump |
| 1.8 | | Two-Wheeled Trailer - Manufacturer: Changzhou Dongfeng Agricultural Machinery Group LTD., (Model |
| | | No: DF 7C-3) |
| 1.8.1 | 20 | Spare wheel |
| 1.8.2 | 60 | Spare tires: |
| 1.8.3 | 70 | Inner tubes: |
| 1.8.4 | 60 | Wheel bearings: |
| 1.8.5 | 30 | Leaf spring sets |
| 1.8.6 | 60 | Brake shoes |
| 1.8.7 | 20 | Spring |
| 1.8.8 | 10 | Brake drum |
| 1.8.9 | 50 | Wheel stud and nut |
| 1.8.10 | 10 | Air brake cylinder |
| 1.8.11 | 10 | Air brake cylinder repair kit (seals) |

| 1.8.12 | 10 | Flexible brake hose |
|--------|-----|---|
| 1.9 | | Workshop Furnace - Weifang Jiangnan Mechanical And Electrical Equipment Co., Ltd. (Model: KGPS- |
| | | 100KW 0.1T SCR furnace) |
| 1.9.1 | 10 | Drops Full length apron |
| 1.9.2 | 20 | Face shield with helmet |
| 1.9.3 | 10 | Gauntlet gloves, medium size |
| 1.9.4 | 12 | SCR KP1600 |
| 1.9.5 | 12 | SCR KP1600 |
| 1.9.6 | 18 | Pulse board |
| 1.9.7 | 4 | Main control board |
| 1.9.8 | 60 | Insulation mats |
| 1.9.9 | 8 | Button |
| 1.9.10 | 14 | Thermocouple |
| 1.9.11 | 4 | Furnace charging |
| 1.9.12 | 4 | Water cooling cable |
| 1.9.13 | 4 | Electrothermal capacitance |
| 1.9.14 | 14 | Reactor coil |
| 1.9.15 | 8 | Asbestos ring |
| 1.9.16 | 60 | Stainless steel Water clip |
| 1.9.17 | 4 | Power knob |
| 1.9.18 | 20 | Silicon controlled KK500A 1800V |
| 1.9.20 | 2 | Water sleeve |
| 1.9.21 | 2 | Furnace burden (1 ton) |
| 1.9.22 | 1 | Water cooling fan |
| 1.9.23 | 1 | Water pump |
| 1.9.24 | 2 | Capacitor |
| 1.9.25 | 2 | Cable tube (20m/pkg) |
| 1.9.26 | 2 | Power trasformer |
| 1.9.27 | 2 | Intermediate frequency transformer |
| 1.9.28 | 4 | Current transformer 5 |
| 1.9.29 | 2 | Pressure gauge 0-0.4 MP |
| 1.9.30 | 100 | Inlet pipe 12 dia (meters) |

Humanitarian exemption – Italy Agrotec - Project "Food: Improving Food Security in the DPRK – Supply Component – ID No. Europe Aid139017"

| 1.9.31 | 1 | Manual or hydraulic cable crimper with die for 95mm 2 copper cable |
|--------|-----|--|
| 1.9.32 | 10 | Asbestos cloth (1m) |
| 1.9.33 | 2 | Glass water 15 kg |
| 1.9.34 | 350 | Cleaning agent, bag (1 kg) |
| 1.9.35 | 2 | Plastic pipe sealing tool |
| 1.9.36 | 30 | Copper line noses for 95 mm 2 cable |
| 1.9.37 | 20 | Copper cable 95 mm 2, metres |
| 1.9.38 | 2 | Tool kit (doesn't include Hydraulic plier) |
| 1.9.39 | 2 | Transformer to Power cabinet isolation switch |
| 1.1 | | Workshop tools |
| | | not needed |
| 1.11 | | Operator tool kits |
| | | not needed |
| 1.12 | | Mechanics Tool kits |
| | | not needed |